Eur. J. Phycol. (2003), **38**: 399–403.

Taylor & Francis
Taylor & Francis Group

EUROPEAN JOURNAL OF PHYCOLOGY CONTENTS AND INDEX TO VOLUME 38 (2003)

ANDERSON N.J. *see* BRADSHAW
ANDERSON N.J. *see* GIBSON and HAWORTH
BACIC A. *see* CHIOVITTI, BURKE and WETHERBEE
BAKER N.R. *see* SUGGETT, OXBOROUGH,
BENÍTEZ E. *see* PÉREZ-LLORÉNS, VERGARA and BERGES
BERGER R. *see* BERGSTRÖM and KAUTSKY
BERGES J.A. *see* PÉREZ-LLORÉNS, BENÍTEZ and VERGARA
BERGSTRÖM L., BERGER R. & KAUTSKY L., Negative direct effects of nutrient enrichment on the establishment of *Fucus vesiculosus* in the Baltic Sea 41
BHATTI S. *see* HUERTAS and COLMAN
BLECKWENN A., GIL-RODRÍGUEZ M.C., MEDINA M. & SCHNETTER R., Possible significance of different DNA content ranges of gametophytic and tetrasporophytic nuclei in two species of *Laurencia* (Rhodomelaceae, Rhodophyta) 307
BLOMSTER J. *see* HAYDEN, MAGGS, SILVA, STANHOPE and WAALAND
BOUDOURESQUE C.-F. *see* VERLAQUE, DURAND, HUISMAN and LE PARCO
BOWN P., PLUMB J., SÁNCHEZ-BARACALDO P., HAYES P.K. & BRODIE J., Sequence heterogeneity of green (Chlorophyta) endophytic algae associated with a population of *Chondrus crispus* (Gigartinaceae, Rhodophyta) 153
BRADSHAW E.G. & ANDERSON N.J., Environmental factors that control the abundance of *Cyclostephanos dubius* (Bacillariophyceae) in Danish lakes, from seasonal to century scale 265
BREEMAN A.M. *see* EGGERT and VAN HASSELT
BROCHMANN C. *see* GABRIELSEN and RUENESS
BRODIE J. *see* BOWN, PLUMB, SÁNCHEZ-BARACALDO and HAYES
BURKE J. *see* CHIOVITTI, BACIC and WETHERBEE
BÜDEL B. *see* RASCHER, LAKATOS and LÜTTGE
CARPENTER B. *see* NIKA, MULLOY and GIBBS
CEMBELLA A. *see* JOHN, HUMMERT, ELBRÄCHTER, GROBEN and MEDLIN
CHAH O.-K. *see* KLOTCHKOVA, WEST and KIM
CHIOVITTI A., BACIC A., BURKE J. & WETHERBEE R., Heterogeneous xylose-rich glycans are associated with extracellular glycoproteins from the biofouling diatom *Craspedostauros australis* (Bacillariophyceae) 351
CINELLI F. *see* PIAZZI
CLEGG M.R., MABERLY S.C. & JONES R.I., Behavioural responses of freshwater phytoplanktonic flagellates to a temperature gradient 195
COLMAN B. *see* HUERTAS and BHATTI
COPPEJANS E. *see* LELIAERT, ROUSSEAU and DE REVIERS
DE REVIERS B. *see* LELIAERT, ROUSSEAU and COPPEJANS
DE STEFANO M. & MARINO D., Morphology and taxonomy of *Amphicocconeis* gen. nov. (Achnanthales, Bacillariophyceae, Bacilloriophyta) with considerations on its relationship to other monoraphid diatom genera 361
DESTOMBE C. see GUIMARÃES and PLASTINO
DURAND C. *see* VERLAQUE, HUISMAN, BOUDOURESQUE and LE PARCO
EGGERT A., VAN HASSELT P.R. & BREEMAN A.M., Differences in thermal acclimation of chloroplast functioning in two ecotypes of *Valonia utricularis* (Chlorophyta) 123
ELBRÄCHTER M. *see* HOPPENRATH and SCHWEIKERT
ERIKSSON B.K. & JOHANSSON G., Sedimentation reduces recruitment success of *Fucus vesiculosus* (Phaeophyceae) in the Baltic Sea 217
FAYE E.J. *see* KAWAGUCHI, SHIMADA, WANG and MASUDA
FORSTER R.M. *see* KROMKAMP
FREDERICQ S. *see* LIN
GABRIELSEN T.M., BROCHMANN C. & RUENESS J., Phylogeny and interfertility of North Atlantic populations of '*Ceramium*

ISSN 0967-0262 print/ISSN 1469-4433 online © 2003 British Phycological Society

strictum' (Ceramiales, Rhodophyta): how many species? 1
GEIDER R.J. *see* SUGGETT, OXBOROUGH, BAKER, MACINTYRE and KANA
GIBBS R. *see* NIKA, MULLOY and CARPENTER
GIBSON C.E., ANDERSON N.J. & HAWORTH E.Y., *Aulacoseira subarctica*: taxonomy, physiology, ecology and palaeoecology 83
GIL-RODRÍGUEZ M.C. *see* BLECKWENN, MEDINA and SCHNETTER
GREEN D.W. & OLIVER R.L., Using non-photochemical quenching of chlorophyll *a* fluorescence to assess the light climate and growth rate of the cyanobacterium *Anabaena circinalis* 113
GROBEN, R. *see* JOHN, CEMBELLA, HUMMERT, ELBRÄCHTER and MEDLIN
GROSS W. & MEYER A., Distribution of *myo*-inositol dehydrogenase in algae 191
GUIMARÃES M., PLASTINO E.M. & DESTOMBE C., Green mutant frequency in natural populations of *Gracilaria domingensis* (Gracilariales, Rhodophyta) from Brazil 165
HAROUN R.J. *see* VAN DER STRATE, VAN DE ZANDE, STAM and OLSEN
HAWORTH E.Y. *see* GIBSON and ANDERSON
HAYDEN H.S., BLOMSTER J., MAGGS C.A., SILVA P.C., STANHOPE M.J. & WAALAND J.R., Linnaeus was right all along: *Ulva* and *Enteromorpha* are not distinct genera 277
HAYES P.K. *see* BOWN, PLUMB, SÁNCHEZ-BARACALDO and BRODIE
HINZ F. *see* SAR, SALA and SUNESEN
HOPPENRATH M., SCHWEIKERT M. & ELBRÄCHTER M., Morphological reinvestigation and characterization of the marine, sand-dwelling dinoflagellate *Adenoides eludens* (Dinophyceae) 385
HUERTAS I.E., BHATTI S. & COLMAN B., Inorganic carbon acquisition in two species of marine prymnesiophytes 181
HUISMAN J.M. see VERLAQUE, DURAND, BOUDOURESQUE and LE PARCO
HUMMERT C. *see* JOHN, CEMBELLA, ELBRÄCHTER, GROBEN and MEDLIN
JOHANSSON G. *see* ERIKSSON
JOHN U., CEMBELLA A., HUMMERT C., ELBRÄCHTER M., GROBEN, R. & MEDLIN L., Discrimination of the toxigenic dinoflagellates *Alexandrium tamarense* and *A. ostenfeldii* in co-occurring natural populations from Scottish coastal waters 25
JONES R.I. *see* CLEGG and MABERLY
KANA T.M. *see* SUGGETT, OXBOROUGH, BAKER, MACINTYRE and GEIDER
KAREZ R., Do monospecific stands of three *Fucus* species (Phaeophyta) comply with the 'self-thinning rule'? 171
KAUTSKY L. *see* BERGSTRÖM and BERGER
KAWAGUCHI S., SHIMADA S., WANG H.W., FAYE E.J. & MASUDA M., *Polyopes tosaensis* Kawaguchi & Masuda, sp. nov. (Halymeniaceae, Rhodophyta) from Japan 315
KIM G.H. *see* KLOTCHKOVA, CHAH and WEST
KLOTCHKOVA T.A., CHAH O.-K., WEST J.A. & KIM G.H., Cytochemical and ultrastructural studies on protoplast formation from disintegrated cells of the marine alga *Chaetomorpha aerea* (Chlorophyta) 205
KOMÁRKOVÁ J. *see* ŠTROJSOVÁ, VRBA, NEDOMA and ZNACHOR
KROMKAMP J.C. & FORSTER R.M., The use of variable fluorescence measurements in aquatic ecosystems: differences between multiple and single turnover measuring protocols and suggested terminology 103
KROMKAMP J.C. *see* MORRIS
LAKATOS M. *see* RASCHER, BÜDEL and LÜTTGE
LE PARCO Y. *see* VERLAQUE, DURAND, HUISMAN and BOUDOURESQUE
LELIAERT F., ROUSSEAU F., DE REVIERS B. & COPPEJANS E., Phylogeny of the Cladophorophyceae (Chlorophyta) inferred from partial LSU rRNA gene sequences: is the recognition of a separate order Siphonocladales justified? 233
LIN S.-M. & FREDERICQ S., *Nitophyllum hommersandii* sp. nov. (Delesseriaceae, Rhodophyta) from Taiwan 143
LÜTTGE U. *see* RASCHER, LAKATOS and BÜDEL
MABERLY S.C. *see* CLEGG and JONES
MACINTYRE H.L. *see* SUGGETT, OXBOROUGH, BAKER, KANA and GEIDER
MACINTYRE, KANA and GEIDER
MACINTYRE, KANA and GEIDER
MAGGS C.A. *see* HAYDEN, BLOMSTER, SILVA, STANHOPE and WAALAND
MANOYLOV K.M., MORALES E.A. & STOERMER E.F., *Staurosira stevensonii sp. nov.* (Bacillariophyta), a new taxon from Florida, USA 65
MARINO D. *see* DE STEFANO
MASUDA M. *see* KAWAGUCHI, SHIMADA, WANG and FAYE
MEDINA M. *see* BLECKWENN, GIL-RODRÍGUEZ and SCHNETTER

MEDLIN L. *see* JOHN, CEMBELLA, ELBRÄCHTER and GROBEN
MEYER A. *see* GROSS
MORALES E.A. *see* MANOYLOV and STOERMER
MORRIS E.P. & KROMKAMP J.C., Influence of temperature on the relationship between oxygen- and fluorescence-based estimates of photosynthetic parameters in a marine benthic diatom (*Cylindrotheca closterium*) 133
MULLOY B. *see* NIKA, CARPENTER and GIBBS
NEDOMA J. *see* ŠTROJSOVÁ, VRBA, KOMÁRKOVÁ and ZNACHOR
NIKA K., MULLOY B., CARPENTER B. & GIBBS R., Specific recognition of immune cytokines by sulphated polysaccharides from marine algae 257
OLIVER R.L. *see* GREEN
OLSEN J.L. *see* VAN DER STRATE, VAN DE ZANDE, STAM and HAROUN
OXBOROUGH K. *see* SUGGETT, BAKER, PIAZZI L. & CINELLI F., Evaluation of benthic macroalgal invasion in a harbour area of the western Mediterranean Sea 223
PLASTINO E.M. see GUIMARÃES and DESTOMBE
PLUMB J. *see* BOWN, SÁNCHEZ-BARACALDO, HAYES and BRODIE
PÉREZ-LLORÉNS J.L., BENÍTEZ E., VERGARA J.J. & BERGES J.A., Characterization of proteolytic enzyme activities in macroalgae 55
RASCHER U., LAKATOS M., BÜDEL B. & LÜTTGE U., Photosynthetic field capacity of cyanobacteria of a tropical inselberg of the Guiana Highlands 247
RAVEN J.A., Carboxysomes and peptidoglycan walls of cyanelles: possible physiological functions 47
ROUSSEAU F. *see* LELIAERT, DE REVIERS and COPPEJANS
RUENESS J. *see* GABRIELSEN and BROCHMANN
SALA S.E. *see* SAR, HINZ and SUNESEN
SAR E.A., SALA S.E., HINZ F. & SUNESEN I., Revision of *Amphora holsatica* (Bacillariophyceae) 73
SCHNETTER R. *see* BLECKWENN, GIL-RODRÍGUEZ and MEDINA
SCHWEIKERT M. *see* HOPPENRATH and ELBRÄCHTER
SHIMADA S. *see* KAWAGUCHI, WANG, FAYE and MASUDA
SILVA P.C. *see* HAYDEN, BLOMSTER, MAGGS, STANHOPE and WAALAND
STAL L.J. *see* VAN BERGEIJK and VAN DER ZEE
STAM W.T. *see* VAN DER STRATE, VAN DE ZANDE, HAROUN and OLSEN
STANHOPE M.J. *see* HAYDEN, BLOMSTER, MAGGS, SILVA and WAALAND
STOERMER *see* MANOYLOV and MORALES
SUGGETT D.J., OXBOROUGH K., BAKER N.R., MACINTYRE H.L., KANA T.M. & GEIDER R.J., Fast repetition rate and pulse amplitude modulation chlorophyll *a* fluorescence measurements for assessment of photosynthetic electron transport in marine phytoplankton 371
SUNESEN I. *see* SAR, SALA and HINZ
SÁNCHEZ-BARACALDO P. *see* BOWN, PLUMB, HAYES and BRODIE
ŠTROJSOVÁ A., VRBA J., NEDOMA J., KOMÁRKOVÁ J. & ZNACHOR P., Seasonal study of extracellular phosphatase expression in the phytoplankton of a eutrophic reservoir 295
VAN BERGEIJK S.A., VAN DER ZEE C. & STAL L.J., Uptake and excretion of dimethylsulphoniopropionate is driven by salinity changes in the marine benthic diatom *Cylindrotheca closterium* 341
VAN DE ZANDE L. *see* VAN DER STRATE, STAM, HAROUN and OLSEN
VAN DER STRATE H.J., VAN DE ZANDE L., STAM W.T., HAROUN R.J. & OLSEN J.L., Within-island differentiation and between-island homogeneity: non-equilibrium population structure in the seaweed *Cladophoropsis membranacea* (Chlorophyta) in the Canary Islands 15
VAN DER ZEE C. *see* VAN BERGEIJK and STAL
VAN HASSELT P.R. *see* EGGERT and BREEMAN
VERGARA J.J. *see* PÉREZ-LLORÉNS, BENÍTEZ and BERGES
VERLAQUE M., DURAND C., HUISMAN J.M., BOUDOURESQUE C.-F. & LE PARCO Y., On the identity and origin of the Mediterranean invasive *Caulerpa racemosa* (Caulerpales, Chlorophyta) 325
VRBA J. *see* ŠTROJSOVÁ, NEDOMA, KOMÁRKOVÁ and ZNACHOR
WAALAND J.R. *see* HAYDEN, BLOMSTER, MAGGS, SILVA and STANHOPE
WANG H.W. *see* KAWAGUCHI, SHIMADA, FAYE and MASUDA
WEST J.A. *see* KLOTCHKOVA, CHAH and KIM
WETHERBEE R. *see* CHIOVITTI, BACIC and BURKE
ZNACHOR P. *see* ŠTROJSOVÁ, VRBA, NEDOMA and KOMÁRKOVÁ

SUBJECT INDEX

absorption, 103
acclimation, 123
Acrochaete, 153
active water transport, 47
adaptation, 123
Adenoides eludens, 385
Alexandrium ostenfeldii, 25
Alexandrium tamarense, 25
algae, 15, 295
alkaline phosphatase, 295
Amphicocconeis, 361
Amphora holsatica, 73
Anabaena circinalis, 113
Aplanospores, 205
apoptosis, 307
attachment, 41
Aulacoseira subarctica, 83
Australia, 325
Bacillariophyta, 65
Baltic Sea, 41, 217
behavioural ecology, 195
benthic diatom, 341
bioadhesion, 351
biofouling, 351
biological crust, 247
Blelham Tarn, 83
Calonitophyllum, 143
carbohydrate structure, 351
carbonic anhydrase, 181
carboxysome, 47
Caulerpa racemosa, 325
Ceramium gobii, 1
Ceramium tenuicorne, 1
'*Ceramium strictum*', 1
Chaetomorpha, 205
Chloropelta, 277
chlorophyll *a* fluorescence, 113, 247
chlorophyll fluorescence, 123
Chromophyta, 191
Cladophorales, 233
Cladophorophyceae, 233
Cocconeis, 361
Codium fragile, 257
co-occurrence, 223
CO_2 transport, 181
colour polymorphism, 165
Craspedostauros australis, 351
cyanelle, 47
cyanobacteria, 113, 295
cyanobacterial communities, 247
Cyanophora paradoxa, 47
Cylindrotheca closterium, 341
cytokines, 257
Delesseriaceae, 143
diatom, 83
diatom taxonomy, 65
Dicrateria inornata, 181
dimethylsulphoniopropionate (DMSP), 341
dinoflagellate, 385
dispersal, 15
diversity, 223
dominance and suppression, 171
ectoenzyme, 295
electron transport, 371
ELF97 phosphate, 295
endophyte, 153
Enteromorpha, 277
epiphytic diatoms, 361
eutrophication, 41, 217
field experiment, 217
fluorescence, 103
French Guiana, 247
FRRF, 103, 371
fucoid, 41
Fucus vesiculosus, 41, 217, 171
functional cross-section, 103
gametophyte, 307
gamma interferon, 257
genetic differentiation, 15
germling, 41
Gini coefficient, 171
Glaucocystis nostochinearum, 47
Gloeocapsa, 247
Gloeochaete wittrockiana, 47
glycoprotein glycan, 351
Gracilaria, green mutant, 165
green algae, 153, 205
growth, 113
Gulf of Mexico, 143
Halymeniaceae, 315
image analysis, 295
inequality, 171
inselberg, 247
interfertility, 1
interleukin-2, 257
interleukin-7, 257
intraspecific competition, 171
introduced algae, 223
introduced species, 325
invasions, 223
isoenzymes, 191
isolation by distance, 15
ITS1-ITS2, 325
ITS2, 1
Laurencia, 307
lectin, 205
life cycle, 83
light absorption, 371

light reaction, 247
light, 113
Lough Neagh, 83
LSU rRNA, 233
macroalgae, 55
macroalgal recruitment, 217
marine algae, 143
marine sand, 385
mass spectrometry, 181
Mediterranean Sea, 223, 325
microphytobenthos, 133
microsatellites, 15
molecular phylogeny, 233, 315
molecular probes, 25, 153
morphology, 315, 385
myo-inositol dehydrogenase, 191
Nitophylleae, 143
Nitophyllum hommersandii sp. nov., 143
nuclear DNA content, 307
nuclear ribosomal internal transcribed spacer DNA (ITS nrDNA), 277
nutrients, 41, 265
Ochrosphaera neapolitana, 181
oligosaccharide, 351
optical cross-section, 103
osmotic acclimation, 341
palaeoecology, 83
PAM fluorescence, 133
PAM, 103, 371
Paulinella chromatophora, 47
pennate diatom, 351
peptidoglycan, 47
pH profiles, 55
phosphorus, 83
photosynthesis, 103, 133, 247
photosynthetic electron transport, 103
phycotoxins, 25
phylogeny, 1, 143, 191
phytoplankton, 83, 265, 371
pigment composition, 165
planktonic diatoms, 265
plasma membrane, 205
Polyopes tosaensis, 315
polyols, 191
population genetic structure, 15
Posidonia oceanica, 361
preference, 195
protease inhibitors–characterization/activity, 55
protoplast regeneration, 205
Psammococconeis, 361
PSII electron transport, 133
PSII, 371
quantum yield, 247, 371
*rbc*L, 143, 277, 315
rDNA ITS2, 153
recruitment, 41
red algae, 1
redundancy analysis, 265
Rhodophyta, 143, 307, 315
Rubisco spacer, 1
salinity, 341
Scytonema, 247
seaweed, 325
seaweeds, 171
sedimentation, 217
self-thinning, 171
Siphonocladales, 233
species-specific activity, 295
state transitions, 113
Stauroneis decipiens, 351
Staurosira stevensonii, 65
Stigonema, 247
subgenus *Halamphora*, 73
sulphated polysaccharides, 257
Surface sediments, 265
systematics, 143
Taiwan, 143
taxonomy, 73, 315, 325, 385
temperature, 123, 133
tetrasporophyte, 307
thermal sensitivity, 195
thermokinesis, 195
thermotaxis, 195
toxic algae, 25
type material, 73
ultrastructure, 73, 385
Ulva, 277
Umbraulva, 277
uptake of DMSP, 341
Valonia utricularis, 123
variable fluorescence, 103
xanthophyll cycle, 123
zymograms, 55